
## Colorado Pikeminnow Nurseries


Artificial Habitats to Reintroduce the Species to the Lower Colorado River Basin

Design Project By Devon Santy MLA Candidate 2013 Cal Poly Pomona

**LA 602** 

**Instructor: Jessica Hall** 







## Vicinity Map




#### Goose Flats and Access Route






## Goose Flats: Existing Site Conditions








#### Stationing for Colorado River Profile



## Colorado River Surface Profile at Goose Flats, Blythe, CA




## **Goose Flats Cross Section**



SECTION (Vertical Exaggeration: 20X)




## Generalized Life History of Juvenile / Mature Colorado Pikeminnow




HABITAT	BEDFORM MATERIAL SIZE	LIFESTAGE
Class C stream riffle - pool areas	Cobbles / Boulders	Mature Adults
Class C / F streams	Intermediate / Variable	Juveniles to Adults

## Generalized Life History of Colorado Pikeminnow Age 0-1



HABITAT	BEDFORM MATERIAL SIZE	LIFESTAGE
Class C stream riffle - pool areas	Cobbles / Boulders	Egg and Larvae
Class F stream backwaters nurseries	Sand / Silt	Larvae to Juvenile


## Green River Study Area (Tyus and Haines 1991)



# Utah 50

Vicinity Map with Detail Area

## Yampa River Spawning Habitat



<u>Upper Portion</u> 0.16% Lower Portion 0.05%



<u>Upper Portion</u> 2.48 <u>Lower Portion</u> 2.03

Yampa Canyon Spawning Grounds



## Rosgen Class C

# Utah Colorado Utah


#### Vicinity Map with Detail Area

## **Upper Green River Nursery Habitat**





1st of 2 Nursery Habitats on Green River




## Rosgen Class F

## Utah Colorado

Vicinity Map with Detail Area


## Green River Spawning Habitat





1.39

Spawning Habitat on Green River near the town of Green River, UT.



## Rosgen Class C

## Utah Colorado Utah

Vicinity Map with Detail Area

## Lower Green River Nursery Habitat






3.12

2nd of 2 Nursery Habitats on Green River


## Rosgen Class F









Green River Utah - Riffle / Pool Sequence








100 Feet



• High channel width/depth ratios at bankfull stage, bedform usually riffle/pool

• Can have high bank erosion and lateral extension rates, significant bar deposition

Green River Utah - Backwater Example






## Site Opportunities and Constraints













#### Site Plan






## Goose Flats Cross Section - With Nursery Habitats





## Longitudinal Profile - Habitat 2



## Interpretive Vista



#### References

Grand, Tamara C. et al. 2006. A Physical Habitat Model for Predicting the Effects of Flow Fluctuations in Nursery Habitats of the Endangered Colorado Pikeminnow (Ptychocheilus lucius). River Research and Applications 22 pp. 1125-1142

Marsh, Paul C., Mueller, Gordon A. 2002. "Lost, A Desert River and Its Native Fishes: A Historical Perspective of the Lower Colorado River". U.S. Department of the Interior, U.S. Geological Survey. Information and Technology Report USGS/BRD/ITR--2002--0010

Minckley, W. L.; Marsh, Paul C.; Deacon, James E.; Dowling, Thomas E.; Hedrick, Philip W.; Matthews, William J.; Mueller, Gordon. 2003. "A Conservation Plan for Native Fishes of the Lower Colorado River". BioScience, March 2003, 53: 3, pp.219-233

Osmundson, D.B. et al. 1998. Dispersal Patterns of Subadult and Adult Colorado Squawfish in the Upper Colorado River. Transactions of the American Fisheries Society 127:6 pp. 943-956

Rieker, Jeffrey D. Labadie, John W. 2006. GIS Visualization and Analysis of River Operations Impacts on Endangered Species Habitat. Journal of Water Resources Planning and Management. American Society of Civil Engineers. May/June 2006.

Tyus, Harold M. 1986. Life Strategies in the Evolution of the Colorado Squawfish (Ptychocheilus Lucius). Great Basin Naturalist Vol. 46, No. 4. U.S. Fish and Wildlife Service, Vernal, Utah. pp. 656 – 661

Tyus, Harold M., McAda, Charles W. 1984. Migration, Movements and Habitat Preferences of Colorado Squawfish, Ptychocheilus lucius, in the Green, White and Yampa Rivers, Colorado and Utah. The Southwestern Naturalist Vol. 23 No. 3. pp. 289-299.

Tyus, Harold M. and Haines, G. Bruce. 1991. Distribution, Habitat Use, and Growth of Age-0 Colorado Squawfish in the Green River Basin, Colorado and Utah. Transactions of the American Fisheries Society. Vol. 120 pp. 79-89

U.S. Bureau of Reclamation. 2003. Biological Assessment for Redlands Water and Power Company Fish Screen on the Gunnison River. U.S. Bureau of Reclamation, Western Colorado Area Office

U.S. Environmental Protection Agency, 2008. Fundamentals of the Rosgen Stream Classification System.

http://www.epa.gov/owow/watershed/wacademy/acad2000/stream\_class/ Accessed 2/23/12

U.S. Department of the Interior. 2005. Design Workshop Final Report, Imperial National Wildlife Refuge Imperial Native Fish Habitat. © Bureau of Reclamation, Lower Colorado Region, Boulder City, NV.

## Thank You!

